

# Literature Review

## Mupirocin

| <b>Medication</b> | <b>Title of Article</b>   | <b>Pubmed link</b>  |
|-------------------|---|---|
| MUPIROCIN         | Comparison of Topical Chlorhexidine and Mupirocin for the Prevention of Exit-Site Infection in Incident Peritoneal Dialysis Patients.                                   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28183858">https://www.ncbi.nlm.nih.gov/pubmed/28183858</a> |
| MUPIROCIN         | Intranasal mupirocin for outbreaks of methicillin-resistant <i>Staphylococcus aureus</i> . [Review] [45 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9331438">https://www.ncbi.nlm.nih.gov/pubmed/9331438</a>   |
| MUPIROCIN         | Mupirocin ointment for preventing <i>Staphylococcus aureus</i> infections in nasal carriers. [Review] [45 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18843708">https://www.ncbi.nlm.nih.gov/pubmed/18843708</a> |
| MUPIROCIN         | Efficacy of topical 2% mupirocin ointment for treatment of tympanostomy tube otorrhea caused by community-acquired methicillin resistant <i>Staphylococcus aureus</i> . | <a href="https://www.ncbi.nlm.nih.gov/pubmed/29728181">https://www.ncbi.nlm.nih.gov/pubmed/29728181</a> |
| MUPIROCIN         | Comparison of topical mupirocin and gentamicin in the prevention of peritoneal dialysis-related infections: A systematic review and meta-analysis. [Review]             | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28341139">https://www.ncbi.nlm.nih.gov/pubmed/28341139</a> |
| MUPIROCIN         | Anti-biofilm properties of a mupirocin spray formulation against <i>Escherichia coli</i> wound infections.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28686044">https://www.ncbi.nlm.nih.gov/pubmed/28686044</a> |
| MUPIROCIN         | Emergence of a <i>Staphylococcus aureus</i> Clone Resistant to Mupirocin and Fusidic Acid Carrying Exotoxin Genes and Causing Mainly Skin Infections.                   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28592549">https://www.ncbi.nlm.nih.gov/pubmed/28592549</a> |
| MUPIROCIN         | Development of a topical mupirocin spray for antibacterial and wound-healing applications.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28581830">https://www.ncbi.nlm.nih.gov/pubmed/28581830</a> |
| MUPIROCIN         | Preliminary investigations into developing all-D Omiganan for treating Mupirocin-resistant MRSA skin infections.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28581672">https://www.ncbi.nlm.nih.gov/pubmed/28581672</a> |
| MUPIROCIN         | Bacterial Infections in Neonates Following Mupirocin-Based MRSA Decolonization: A Multicenter Cohort Study.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28578731">https://www.ncbi.nlm.nih.gov/pubmed/28578731</a> |
| MUPIROCIN         | Erythrasma: A report of nine men successfully managed with mupirocin 2% ointment monotherapy.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28537862">https://www.ncbi.nlm.nih.gov/pubmed/28537862</a> |
| MUPIROCIN         | Zoon Balanitis Revisited: Report of Balanitis Circumscripta Plasmacellularis Resolving With Topical Mupirocin Ointment Monotherapy. [Review]                            | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28301626">https://www.ncbi.nlm.nih.gov/pubmed/28301626</a> |
| MUPIROCIN         | Microbiological effect of mupirocin and chlorhexidine for <i>Staphylococcus aureus</i> decolonization in community and nursing home based adults.                       | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28215714">https://www.ncbi.nlm.nih.gov/pubmed/28215714</a> |
| MUPIROCIN         | Distribution of high-level mupirocin resistance among clinical MRSA.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27376552">https://www.ncbi.nlm.nih.gov/pubmed/27376552</a> |
| MUPIROCIN         | Mupirocin in the Treatment of Staphylococcal Infections in Chronic Rhinosinusitis: A Meta-Analysis.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27907108">https://www.ncbi.nlm.nih.gov/pubmed/27907108</a> |

| <b>Medication</b> | <b>Title of Article</b>  | <b>Pubmed link</b>  |
|-------------------|--|---|
| MUPIROCIN         | Mupirocin reduces ciliary beat frequency of human nasal epithelial cells.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27342406">https://www.ncbi.nlm.nih.gov/pubmed/27342406</a> |
| MUPIROCIN         | Effectiveness of Decolonization With Chlorhexidine and Mupirocin in Reducing Surgical Site Infections: A Systematic Review. [Review]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27258958">https://www.ncbi.nlm.nih.gov/pubmed/27258958</a> |
| MUPIROCIN         | Alternating Mupirocin/Gentamicin is Associated with Increased Risk of Fungal Peritonitis as Compared with Gentamicin Alone - Results of a Randomized Open-Label Controlled Trial.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27044796">https://www.ncbi.nlm.nih.gov/pubmed/27044796</a> |
| MUPIROCIN         | Alteration in Bacterial Culture After Treatment With Topical Mupirocin for Recalcitrant Chronic Rhinosinusitis.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26720201">https://www.ncbi.nlm.nih.gov/pubmed/26720201</a> |
| MUPIROCIN         | Pitted keratolysis: successful management with mupirocin 2% ointment monotherapy. [Review]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26437161">https://www.ncbi.nlm.nih.gov/pubmed/26437161</a> |
| MUPIROCIN         | Risk factors for central line-associated bloodstream infection in patients with major burns and the efficacy of the topical application of mupirocin at the central venous catheter exit site.                             | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26376765">https://www.ncbi.nlm.nih.gov/pubmed/26376765</a> |
| MUPIROCIN         | Long-Term Safety of Buttonhole Cannulation and Efficacy of Mupirocin Prophylaxis. [Review]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26283561">https://www.ncbi.nlm.nih.gov/pubmed/26283561</a> |
| MUPIROCIN         | The Effect of Exit-Site Antibacterial Honey Versus Nasal Mupirocin Prophylaxis on the Microbiology and Outcomes of Peritoneal Dialysis-Associated Peritonitis and Exit-Site Infections: A Sub-Study of the Honeypot Trial. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26224790">https://www.ncbi.nlm.nih.gov/pubmed/26224790</a> |
| MUPIROCIN         | Total Occlusive Ionic Silver-Containing Dressing vs Mupirocin Ointment Application vs Conventional Dressing in Elective Colorectal Surgery: Effect on Incisional Surgical Site Infection.                                  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26206641">https://www.ncbi.nlm.nih.gov/pubmed/26206641</a> |
| MUPIROCIN         | Drug utilization review of mupirocin ointment in a Korean university-affiliated hospital.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26161018">https://www.ncbi.nlm.nih.gov/pubmed/26161018</a> |
| MUPIROCIN         | Mupirocin Resistance in Isolates of <i>Staphylococcus</i> spp. from Nasal Swabs in a Tertiary Hospital in France.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26019208">https://www.ncbi.nlm.nih.gov/pubmed/26019208</a> |
| MUPIROCIN         | High prevalence of mupirocin resistance in <i>Staphylococcus aureus</i> isolates from a pediatric population.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/25824213">https://www.ncbi.nlm.nih.gov/pubmed/25824213</a> |
| MUPIROCIN         | Effect of mupirocin decolonization on subsequent methicillin-resistant <i>Staphylococcus aureus</i> infection in infants in neonatal intensive care units.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/25742074">https://www.ncbi.nlm.nih.gov/pubmed/25742074</a> |
| MUPIROCIN         | TXA497 as a topical antibacterial agent: comparative antistaphylococcal, skin deposition, and skin permeation studies with mupirocin.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/25263100">https://www.ncbi.nlm.nih.gov/pubmed/25263100</a> |

| <b>Medication</b> | <b>Title of Article</b>   | <b>Pubmed link</b>  |
|-------------------|---|---|
| MUPIROCIN         | Mupirocin-induced mutations in ileS in various genetic backgrounds of methicillin-resistant <i>Staphylococcus aureus</i> .  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/25122856">https://www.ncbi.nlm.nih.gov/pubmed/25122856</a> |
| MUPIROCIN         | Patient experience with mupirocin or povidone-iodine nasal decolonization.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/24972440">https://www.ncbi.nlm.nih.gov/pubmed/24972440</a> |
| MUPIROCIN         | Preventing surgical site infections: a randomized, open-label trial of nasal mupirocin ointment and nasal povidone-iodine solution.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/24915210">https://www.ncbi.nlm.nih.gov/pubmed/24915210</a> |
| MUPIROCIN         | Mupirocin susceptibility in <i>Staphylococcus aureus</i> nasal and oropharyngeal isolates from Brazilian children.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/24621161">https://www.ncbi.nlm.nih.gov/pubmed/24621161</a> |
| MUPIROCIN         | Decreased susceptibilities to Retapamulin, Mupirocin, and Chlorhexidine among <i>Staphylococcus aureus</i> isolates causing skin and soft tissue infections in otherwise healthy children.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/24614375">https://www.ncbi.nlm.nih.gov/pubmed/24614375</a> |
| MUPIROCIN         | Mupirocin/chlorhexidine to prevent methicillin-resistant <i>Staphylococcus aureus</i> infections: post hoc analysis of a placebo-controlled, randomized trial using mupirocin/chlorhexidine and polymyxin/tobramycin for the prevention of acquired infections in intubated patients. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/24464791">https://www.ncbi.nlm.nih.gov/pubmed/24464791</a> |
| MUPIROCIN         | Short-term decline in all-cause acquired infections with the routine use of a decontamination regimen combining topical polymyxin, tobramycin, and amphotericin B with mupirocin and chlorhexidine in the ICU: a single-center experience.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/24365857">https://www.ncbi.nlm.nih.gov/pubmed/24365857</a> |
| MUPIROCIN         | Clinical relevance of mupirocin resistance in <i>Staphylococcus aureus</i> . [Review]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/24144552">https://www.ncbi.nlm.nih.gov/pubmed/24144552</a> |
| MUPIROCIN         | Dose-ranging study to assess the application of intranasal 2% mupirocin calcium ointment to eradicate <i>Staphylococcus aureus</i> nasal colonization.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/23448592">https://www.ncbi.nlm.nih.gov/pubmed/23448592</a> |
| MUPIROCIN         | Prevalence of resistance to antiseptics and mupirocin among invasive coagulase-negative staphylococci from very preterm neonates in NICU: the creeping threat?.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/23414707">https://www.ncbi.nlm.nih.gov/pubmed/23414707</a> |
| MUPIROCIN         | Increased peritoneal dialysis exit site infections using topical antiseptic polyhexamethylene biguanide compared to mupirocin: results of a safety interim analysis of an open-label prospective randomized study.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/23403425">https://www.ncbi.nlm.nih.gov/pubmed/23403425</a> |
| MUPIROCIN         | Decreasing methicillin-resistant <i>Staphylococcus aureus</i> surgical site infections with chlorhexidine and mupirocin.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/23332373">https://www.ncbi.nlm.nih.gov/pubmed/23332373</a> |
| MUPIROCIN         | The effect of intraoperative mupirocin irrigation on <i>Staphylococcus aureus</i> within the maxillary sinus.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/23192968">https://www.ncbi.nlm.nih.gov/pubmed/23192968</a> |

| <b>Medication</b> | <b>Title of Article</b>   | <b>Pubmed link</b>  |
|-------------------|---|---|
| MUPIROCIN         | Mupirocin and chlorhexidine resistance in <i>Staphylococcus aureus</i> in patients with community-onset skin and soft tissue infections.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/23147738">https://www.ncbi.nlm.nih.gov/pubmed/23147738</a> |
| MUPIROCIN         | Chlorhexidine and mupirocin susceptibilities of methicillin-resistant <i>staphylococcus aureus</i> from colonized nursing home residents.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/23147721">https://www.ncbi.nlm.nih.gov/pubmed/23147721</a> |
| MUPIROCIN         | The persistence of <i>Staphylococcus aureus</i> decolonization after mupirocin and topical chlorhexidine: implications for patients requiring multiple or delayed procedures.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/22397861">https://www.ncbi.nlm.nih.gov/pubmed/22397861</a> |
| MUPIROCIN         | Microbiological outcomes following mupirocin nasal washes for symptomatic, <i>Staphylococcus aureus</i> -positive chronic rhinosinusitis following endoscopic sinus surgery.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/22170745">https://www.ncbi.nlm.nih.gov/pubmed/22170745</a> |
| MUPIROCIN         | A randomized controlled trial comparing mupirocin and polysporin triple ointments in peritoneal dialysis patients: the MP3 Study.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/22134627">https://www.ncbi.nlm.nih.gov/pubmed/22134627</a> |
| MUPIROCIN         | Prospective investigation of nasal mupirocin, hexachlorophene body wash, and systemic antibiotics for prevention of recurrent community-associated methicillin-resistant <i>Staphylococcus aureus</i> infections.                     | <a href="https://www.ncbi.nlm.nih.gov/pubmed/22083485">https://www.ncbi.nlm.nih.gov/pubmed/22083485</a> |
| MUPIROCIN         | Effect of intranasal mupirocin and chlorhexidine body wash on decolonization of community-associated methicillin-resistant <i>Staphylococcus aureus</i> .   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/21931262">https://www.ncbi.nlm.nih.gov/pubmed/21931262</a> |
| MUPIROCIN         | Impact of combined low-level mupirocin and genotypic chlorhexidine resistance on persistent methicillin-resistant <i>Staphylococcus aureus</i> carriage after decolonization therapy: a case-control study.                           | <a href="https://www.ncbi.nlm.nih.gov/pubmed/21628482">https://www.ncbi.nlm.nih.gov/pubmed/21628482</a> |
| MUPIROCIN         | Clinical and cost ineffectiveness of preoperative screening for methicillin-resistant <i>Staphylococcus aureus</i> and intranasal mupirocin in preventing methicillin-resistant <i>S aureus</i> infections in cardiothoracic surgery. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/21145622">https://www.ncbi.nlm.nih.gov/pubmed/21145622</a> |
| MUPIROCIN         | A novel chimeric lysin shows superiority to mupirocin for skin decolonization of methicillin-resistant and -sensitive <i>Staphylococcus aureus</i> strains.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/21098252">https://www.ncbi.nlm.nih.gov/pubmed/21098252</a> |
| MUPIROCIN         | Association of high-level mupirocin resistance and multidrug-resistant methicillin-resistant <i>Staphylococcus aureus</i> at an academic center in the midwestern United States.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/21084520">https://www.ncbi.nlm.nih.gov/pubmed/21084520</a> |
| MUPIROCIN         | <i>Staphylococcus aureus</i> bacteremia and buttonhole cannulation: long-term safety and efficacy of mupirocin prophylaxis.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/20413438">https://www.ncbi.nlm.nih.gov/pubmed/20413438</a> |

| <b>Medication</b> | <b>Title of Article</b>  | <b>Pubmed link</b>  |
|-------------------|--|---|
| MUPIROCIN         | Comparison of gentamicin and mupirocin in the prevention of exit-site infection and peritonitis in peritoneal dialysis.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/19886318">https://www.ncbi.nlm.nih.gov/pubmed/19886318</a> |
| MUPIROCIN         | Topical mupirocin/sodium hypochlorite reduces peritonitis and exit-site infection rates in children.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/19820132">https://www.ncbi.nlm.nih.gov/pubmed/19820132</a> |
| MUPIROCIN         | Phenotypic and molecular characterization of <i>Staphylococcus aureus</i> isolates expressing low- and high-level mupirocin resistance in Nigeria and South Africa.                                    | <a href="https://www.ncbi.nlm.nih.gov/pubmed/19175912">https://www.ncbi.nlm.nih.gov/pubmed/19175912</a> |
| MUPIROCIN         | Mupirocin resistance among Iranian isolates of <i>Staphylococcus aureus</i> .  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18830185">https://www.ncbi.nlm.nih.gov/pubmed/18830185</a> |
| MUPIROCIN         | In vitro activity of fusidic acid and mupirocin against coagulase-positive staphylococci from pets.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18819974">https://www.ncbi.nlm.nih.gov/pubmed/18819974</a> |
| MUPIROCIN         | Prevention of staphylococcal peritonitis in CAPD patients combining ablution and mupirocin.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18711288">https://www.ncbi.nlm.nih.gov/pubmed/18711288</a> |
| MUPIROCIN         | Efficacy of nasal <i>Staphylococcus aureus</i> eradication by topical nasal mupirocin in patients with perennial allergic rhinitis.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18592827">https://www.ncbi.nlm.nih.gov/pubmed/18592827</a> |
| MUPIROCIN         | Nasal lavage with mupirocin for the treatment of surgically recalcitrant chronic rhinosinusitis.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18545212">https://www.ncbi.nlm.nih.gov/pubmed/18545212</a> |
| MUPIROCIN         | Successful treatment of confluent and reticulated papillomatosis with topical mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18452523">https://www.ncbi.nlm.nih.gov/pubmed/18452523</a> |
| MUPIROCIN         | A randomized controlled trial comparing mupirocin versus Polysporin Triple for the prevention of catheter-related infections in peritoneal dialysis patients (the MP3 study).                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18178950">https://www.ncbi.nlm.nih.gov/pubmed/18178950</a> |
| MUPIROCIN         | Intranasal mupirocin for reduction of <i>Staphylococcus aureus</i> infections in surgical patients with nasal carriage: a systematic review. [Review] [43 refs]  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18174201">https://www.ncbi.nlm.nih.gov/pubmed/18174201</a> |
| MUPIROCIN         | In vitro activity of mupirocin on clinical isolates of <i>Staphylococcus aureus</i> and its potential implications in chronic rhinosinusitis.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18090864">https://www.ncbi.nlm.nih.gov/pubmed/18090864</a> |
| MUPIROCIN         | Intranasal mupirocin prophylaxis in elective surgery. A review of published studies. [Review] [33 refs]  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/18063862">https://www.ncbi.nlm.nih.gov/pubmed/18063862</a> |
| MUPIROCIN         | Selective use of intranasal mupirocin and chlorhexidine bathing and the incidence of methicillin-resistant <i>Staphylococcus aureus</i> colonization and infection among intensive care unit patients. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/17828692">https://www.ncbi.nlm.nih.gov/pubmed/17828692</a> |
| MUPIROCIN         | Mupirocin resistance in patients colonized with methicillin-resistant <i>Staphylococcus aureus</i> in a surgical intensive care unit.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/17682986">https://www.ncbi.nlm.nih.gov/pubmed/17682986</a> |

| Medication | Title of Article   | Pubmed link   |
|------------|--|---|
| MUPIROCIN  | Targeted intranasal mupirocin to prevent colonization and infection by community-associated methicillin-resistant Staphylococcus aureus strains in soldiers: a cluster randomized controlled trial.                                | <a href="https://www.ncbi.nlm.nih.gov/pubmed/17682105">https://www.ncbi.nlm.nih.gov/pubmed/17682105</a> |
| MUPIROCIN  | Prophylactic intranasal mupirocin ointment in the treatment of peritonitis in continuous ambulatory peritoneal dialysis patients.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/17565930">https://www.ncbi.nlm.nih.gov/pubmed/17565930</a> |
| MUPIROCIN  | Randomized controlled trial of chlorhexidine gluconate for washing, intranasal mupirocin, and rifampin and doxycycline versus no treatment for the eradication of methicillin-resistant Staphylococcus aureus colonization.        | <a href="https://www.ncbi.nlm.nih.gov/pubmed/17173213">https://www.ncbi.nlm.nih.gov/pubmed/17173213</a> |
| MUPIROCIN  | Reduction of preoperative conjunctival bacterial flora with the use of mupirocin nasal ointment.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/17471340">https://www.ncbi.nlm.nih.gov/pubmed/17471340</a> |
| MUPIROCIN  | Impact of prophylactic mupirocin for radical esophagectomy.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/17109088">https://www.ncbi.nlm.nih.gov/pubmed/17109088</a> |
| MUPIROCIN  | Long-term efficacy of mupirocin in the prevention of infections with methicillin-resistant Staphylococcus aureus in a gastroenterology unit.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/16772100">https://www.ncbi.nlm.nih.gov/pubmed/16772100</a> |
| MUPIROCIN  | Controlling the usage of intranasal mupirocin does impact the rate of Staphylococcus aureus deep sternal wound infections in cardiac surgery patients.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/16443093">https://www.ncbi.nlm.nih.gov/pubmed/16443093</a> |
| MUPIROCIN  | Surveillance for mupirocin resistance following introduction of routine peri-operative prophylaxis with nasal mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/16377029">https://www.ncbi.nlm.nih.gov/pubmed/16377029</a> |
| MUPIROCIN  | Perioperative intranasal mupirocin for the prevention of surgical-site infections: systematic review of the literature and meta-analysis. [Review] [21 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/16417031">https://www.ncbi.nlm.nih.gov/pubmed/16417031</a> |
| MUPIROCIN  | Efficacy and safety of combination ointment "fluticasone propionate 0.005% plus mupirocin 2.0%" for the treatment of atopic dermatitis with clinical suspicion of secondary bacterial infection: an open label uncontrolled study. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/16394380">https://www.ncbi.nlm.nih.gov/pubmed/16394380</a> |
| MUPIROCIN  | Unselective use of intranasal mupirocin ointment for controlling propagation of methicillin-resistant Staphylococcus aureus in a thoracic surgery ward.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/16258818">https://www.ncbi.nlm.nih.gov/pubmed/16258818</a> |
| MUPIROCIN  | Effect of local mupirocin application on exit-site infection and peritonitis in an Indian peritoneal dialysis population.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/16178481">https://www.ncbi.nlm.nih.gov/pubmed/16178481</a> |
| MUPIROCIN  | The impact of topical mupirocin on peritoneal dialysis infection in Singapore General Hospital.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/16046516">https://www.ncbi.nlm.nih.gov/pubmed/16046516</a> |
| MUPIROCIN  | Can mupirocin prevent methicillin-resistant Staphylococcus aureus infections?.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/15987417">https://www.ncbi.nlm.nih.gov/pubmed/15987417</a> |

| <b>Medication</b> | <b>Title of Article</b>   | <b>Pubmed link</b>  |
|-------------------|---|---|
| MUPIROCIN         | Use of intranasal mupirocin to prevent methicillin-resistant <i>Staphylococcus aureus</i> infection in intensive care units.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/15987397">https://www.ncbi.nlm.nih.gov/pubmed/15987397</a> |
| MUPIROCIN         | The impact of topical mupirocin on peritoneal dialysis infection rates in Singapore General Hospital.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/15855200">https://www.ncbi.nlm.nih.gov/pubmed/15855200</a> |
| MUPIROCIN         | Randomized, controlled trial of topical exit-site application of honey (Medihoney) versus mupirocin for the prevention of catheter-associated infections in hemodialysis patients.                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/15788475">https://www.ncbi.nlm.nih.gov/pubmed/15788475</a> |
| MUPIROCIN         | Oxacillin- and mupirocin-resistant <i>Staphylococcus aureus</i> : in vitro activity of silver sulphadiazine and cerium nitrate in hospital strains.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/15565911">https://www.ncbi.nlm.nih.gov/pubmed/15565911</a> |
| MUPIROCIN         | Decrease in <i>Staphylococcus aureus</i> surgical-site infection rates after orthopaedic surgery after intranasal mupirocin ointment.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/15350723">https://www.ncbi.nlm.nih.gov/pubmed/15350723</a> |
| MUPIROCIN         | Topical mupirocin and catheter-related bacteremia.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/15156458">https://www.ncbi.nlm.nih.gov/pubmed/15156458</a> |
| MUPIROCIN         | Mupirocin prophylaxis against nosocomial <i>Staphylococcus aureus</i> infections in nonsurgical patients: a randomized study.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/15023707">https://www.ncbi.nlm.nih.gov/pubmed/15023707</a> |
| MUPIROCIN         | A prospective, randomized pilot evaluation of topical triple antibiotic versus mupirocin for the prevention of uncomplicated soft tissue wound infection.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/14724869">https://www.ncbi.nlm.nih.gov/pubmed/14724869</a> |
| MUPIROCIN         | Mupirocin-based decolonization of <i>Staphylococcus aureus</i> carriers in residents of 2 long-term care facilities: a randomized, double-blind, placebo-controlled trial.                                  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/14614669">https://www.ncbi.nlm.nih.gov/pubmed/14614669</a> |
| MUPIROCIN         | Treatment of <i>Staphylococcus aureus</i> colonization and prophylaxis for infection with topical intranasal mupirocin: an evidence-based review. [Review] [46 refs]  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/13130405">https://www.ncbi.nlm.nih.gov/pubmed/13130405</a> |
| MUPIROCIN         | Randomized clinical trial of preoperative intranasal mupirocin to reduce surgical-site infection after digestive surgery.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12945073">https://www.ncbi.nlm.nih.gov/pubmed/12945073</a> |
| MUPIROCIN         | Intranasal mupirocin does not prevent exit-site infections in children receiving peritoneal dialysis.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12938828">https://www.ncbi.nlm.nih.gov/pubmed/12938828</a> |
| MUPIROCIN         | Methicillin-resistant <i>Staphylococcus aureus</i> whole-body decolonization among hospitalized patients with variable site colonization by using mupirocin in combination with octenidine dihydrochloride. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12919762">https://www.ncbi.nlm.nih.gov/pubmed/12919762</a> |
| MUPIROCIN         | Use of perioperative mupirocin to prevent methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) orthopaedic surgical site infections.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12855234">https://www.ncbi.nlm.nih.gov/pubmed/12855234</a> |
| MUPIROCIN         | Toxic epidermal necrolysis after topical intranasal application of mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12828326">https://www.ncbi.nlm.nih.gov/pubmed/12828326</a> |

| <b>Medication</b> | <b>Title of Article</b>  | <b>Pubmed link</b>  |
|-------------------|--|---|
| MUPIROCIN         | The preventive effects of mupirocin against nasotracheal intubation-related bacterial carriage.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12818970">https://www.ncbi.nlm.nih.gov/pubmed/12818970</a> |
| MUPIROCIN         | Short-term effects of topical fusidic acid or mupirocin on the prevalence of fusidic acid resistant (FusR) <i>Staphylococcus aureus</i> in atopic eczema.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12786834">https://www.ncbi.nlm.nih.gov/pubmed/12786834</a> |
| MUPIROCIN         | Mupirocin-resistant, methicillin-resistant <i>Staphylococcus aureus</i> : does mupirocin remain effective?.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12785407">https://www.ncbi.nlm.nih.gov/pubmed/12785407</a> |
| MUPIROCIN         | A clinical trial of mupirocin in the eradication of methicillin-resistant <i>Staphylococcus aureus</i> nasal carriage in a digestive disease unit.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12473473">https://www.ncbi.nlm.nih.gov/pubmed/12473473</a> |
| MUPIROCIN         | Decolonization of methicillin-resistant <i>Staphylococcus aureus</i> using oral vancomycin and topical mupirocin.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12390287">https://www.ncbi.nlm.nih.gov/pubmed/12390287</a> |
| MUPIROCIN         | Intranasal mupirocin to prevent postoperative infections.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12375596">https://www.ncbi.nlm.nih.gov/pubmed/12375596</a> |
| MUPIROCIN         | Intranasal mupirocin to prevent postoperative infections.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12374887">https://www.ncbi.nlm.nih.gov/pubmed/12374887</a> |
| MUPIROCIN         | Mupirocin vs terbinafine in impetigo.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12356219">https://www.ncbi.nlm.nih.gov/pubmed/12356219</a> |
| MUPIROCIN         | A randomized controlled trial of topical exit site mupirocin application in patients with tunnelled, cuffed haemodialysis catheters.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12270988">https://www.ncbi.nlm.nih.gov/pubmed/12270988</a> |
| MUPIROCIN         | In vitro activity of linezolid, quinupristin-dalfopristin, vancomycin, teicoplanin, moxifloxacin and mupirocin against methicillin-resistant <i>Staphylococcus aureus</i> : comparative evaluation by the E test and a broth microdilution method. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12151194">https://www.ncbi.nlm.nih.gov/pubmed/12151194</a> |
| MUPIROCIN         | Intranasal mupirocin to prevent postoperative <i>Staphylococcus aureus</i> infections.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12063371">https://www.ncbi.nlm.nih.gov/pubmed/12063371</a> |
| MUPIROCIN         | Emerging elevated mupirocin resistance rates among staphylococcal isolates in the SENTRY Antimicrobial Surveillance Program (2000): correlations of results from disk diffusion, Etest and reference dilution methods.                             | <a href="https://www.ncbi.nlm.nih.gov/pubmed/12007448">https://www.ncbi.nlm.nih.gov/pubmed/12007448</a> |
| MUPIROCIN         | Folliculitis decalvans: successful treatment with a combination of rifampicin and topical mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/11990258">https://www.ncbi.nlm.nih.gov/pubmed/11990258</a> |
| MUPIROCIN         | An integrated critique of the efficacy of topical mupirocin in preventing catheter-related <i>Staphylococcus aureus</i> infections in peritoneal dialysis clients.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/11979650">https://www.ncbi.nlm.nih.gov/pubmed/11979650</a> |
| MUPIROCIN         | A comparison of the efficacy and safety of mupirocin cream and cephalexin in the treatment of secondarily infected eczema.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/11952661">https://www.ncbi.nlm.nih.gov/pubmed/11952661</a> |
| MUPIROCIN         | Topical mupirocin for eradication of MRSA colonization with mupirocin-resistant strains.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/11732789">https://www.ncbi.nlm.nih.gov/pubmed/11732789</a> |

| <b>Medication</b> | <b>Title of Article</b>   | <b>Pubmed link</b>  |
|-------------------|---|---|
| MUPIROCIN         | Reduction in gram-positive pneumonia and antibiotic consumption following the use of a SDD protocol including nasal and oral mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/11587466">https://www.ncbi.nlm.nih.gov/pubmed/11587466</a> |
| MUPIROCIN         | Low concentrations of mupirocin in the pharynx following intranasal application may contribute to mupirocin resistance in methicillin-resistant <i>Staphylococcus aureus</i> .    | <a href="https://www.ncbi.nlm.nih.gov/pubmed/11574616">https://www.ncbi.nlm.nih.gov/pubmed/11574616</a> |
| MUPIROCIN         | Intranasal mupirocin reduces sternal wound infection after open heart surgery in diabetics and nondiabetics.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/11383802">https://www.ncbi.nlm.nih.gov/pubmed/11383802</a> |
| MUPIROCIN         | Control of a methicillin-resistant <i>Staphylococcus aureus</i> outbreak in a neonatal intensive care unit by unselective use of nasal mupirocin ointment.                        | <a href="https://www.ncbi.nlm.nih.gov/pubmed/11049705">https://www.ncbi.nlm.nih.gov/pubmed/11049705</a> |
| MUPIROCIN         | Preoperative intranasal mupirocin ointment significantly reduces postoperative infection with <i>Staphylococcus aureus</i> in patients undergoing upper gastrointestinal surgery. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/10648077">https://www.ncbi.nlm.nih.gov/pubmed/10648077</a> |
| MUPIROCIN         | Perianal candidosis--a comparative study with mupirocin and nystatin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/10487455">https://www.ncbi.nlm.nih.gov/pubmed/10487455</a> |
| MUPIROCIN         | A randomized clinical trial of mupirocin in the eradication of <i>Staphylococcus aureus</i> nasal carriage in human immunodeficiency virus disease.                               | <a href="https://www.ncbi.nlm.nih.gov/pubmed/10438389">https://www.ncbi.nlm.nih.gov/pubmed/10438389</a> |
| MUPIROCIN         | Bacitracin versus mupirocin for <i>Staphylococcus aureus</i> nasal colonization.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/10349956">https://www.ncbi.nlm.nih.gov/pubmed/10349956</a> |
| MUPIROCIN         | Emergence of mupirocin resistance in multiresistant <i>Staphylococcus aureus</i> clinical isolates belonging to Brazilian epidemic clone III::B:A.                                | <a href="https://www.ncbi.nlm.nih.gov/pubmed/10334598">https://www.ncbi.nlm.nih.gov/pubmed/10334598</a> |
| MUPIROCIN         | Opportunities for mupirocin calcium cream in the emergency department. [Review] [74 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9950412">https://www.ncbi.nlm.nih.gov/pubmed/9950412</a>   |
| MUPIROCIN         | High-level mupirocin resistance among Spanish methicillin-resistant <i>Staphylococcus aureus</i> .  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/10052555">https://www.ncbi.nlm.nih.gov/pubmed/10052555</a> |
| MUPIROCIN         | Mupirocin cream is as effective as oral cephalexin in the treatment of secondarily infected wounds.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9866667">https://www.ncbi.nlm.nih.gov/pubmed/9866667</a>   |
| MUPIROCIN         | The prevalence of low- and high-level mupirocin resistance in staphylococci from 19 European hospitals.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9818748">https://www.ncbi.nlm.nih.gov/pubmed/9818748</a>   |
| MUPIROCIN         | <i>Staphylococcus aureus</i> prophylaxis in hemodialysis patients using central venous catheter: effect of mupirocin ointment.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9621293">https://www.ncbi.nlm.nih.gov/pubmed/9621293</a>   |
| MUPIROCIN         | Control of an outbreak of an epidemic methicillin-resistant <i>Staphylococcus aureus</i> also resistant to mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9617681">https://www.ncbi.nlm.nih.gov/pubmed/9617681</a>   |

| <b>Medication</b> | <b>Title of Article</b>   | <b>Pubmed link</b>  |
|-------------------|---|---|
| MUPIROCIN         | The emergence of mupirocin resistance: a challenge to infection control and antibiotic prescribing practice. [Review] [62 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9511032">https://www.ncbi.nlm.nih.gov/pubmed/9511032</a> |
| MUPIROCIN         | Comparison of oral cephalexin, topical mupirocin and topical bacitracin for treatment of impetigo.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9239775">https://www.ncbi.nlm.nih.gov/pubmed/9239775</a> |
| MUPIROCIN         | Management of an outbreak of methicillin-resistant <i>Staphylococcus aureus</i> in a risk area with empirical intranasal mupirocin.                                       | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9211163">https://www.ncbi.nlm.nih.gov/pubmed/9211163</a> |
| MUPIROCIN         | Mupirocin resistance and methicillin-resistant <i>Staphylococcus aureus</i> (MRSA). [Review] [44 refs]  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/9032630">https://www.ncbi.nlm.nih.gov/pubmed/9032630</a> |
| MUPIROCIN         | Emergence of high-level mupirocin resistance in methicillin-resistant <i>Staphylococcus aureus</i> isolated from Brazilian university hospitals.                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8985770">https://www.ncbi.nlm.nih.gov/pubmed/8985770</a> |
| MUPIROCIN         | Nasal and cutaneous carriage of <i>Staphylococcus aureus</i> in hemodialysis patients: the effect of nasal mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8985768">https://www.ncbi.nlm.nih.gov/pubmed/8985768</a> |
| MUPIROCIN         | Cost-effectiveness of perioperative mupirocin nasal ointment in cardiothoracic surgery.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8985764">https://www.ncbi.nlm.nih.gov/pubmed/8985764</a> |
| MUPIROCIN         | Blanket use of intranasal mupirocin for outbreak control and long-term prophylaxis of endemic methicillin-resistant <i>Staphylococcus aureus</i> in an open ward.         | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8744510">https://www.ncbi.nlm.nih.gov/pubmed/8744510</a> |
| MUPIROCIN         | Clinical and economic effects of mupirocin calcium on preventing <i>Staphylococcus aureus</i> infection in hemodialysis patients: a decision analysis.                    | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8629629">https://www.ncbi.nlm.nih.gov/pubmed/8629629</a> |
| MUPIROCIN         | An open study of mupirocin in Libyan patients with skin infections.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8746621">https://www.ncbi.nlm.nih.gov/pubmed/8746621</a> |
| MUPIROCIN         | Mupirocin resistance in coagulase-negative staphylococci, after topical prophylaxis for the reduction of colonization of central venous catheters.                        | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8586787">https://www.ncbi.nlm.nih.gov/pubmed/8586787</a> |
| MUPIROCIN         | Mupirocin ointment with and without chlorhexidine baths in the eradication of <i>Staphylococcus aureus</i> nasal carriage in nursing home residents.                      | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8585642">https://www.ncbi.nlm.nih.gov/pubmed/8585642</a> |
| MUPIROCIN         | Comparative study of mupirocin and oral co-trimoxazole plus topical fusidic acid in eradication of nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> . | <a href="https://www.ncbi.nlm.nih.gov/pubmed/7695302">https://www.ncbi.nlm.nih.gov/pubmed/7695302</a> |
| MUPIROCIN         | Mupirocin resistance: clinical and molecular epidemiology. [Review] [45 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/7657989">https://www.ncbi.nlm.nih.gov/pubmed/7657989</a> |
| MUPIROCIN         | Reduction in <i>Staphylococcus aureus</i> wound colonization using nasal mupirocin and selective decontamination of the digestive tract in extensive burns.               | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8198735">https://www.ncbi.nlm.nih.gov/pubmed/8198735</a> |

| <b>Medication</b> | <b>Title of Article</b>  | <b>Pubmed link</b>  |
|-------------------|--|---|
| MUPIROCIN         | Long-term efficacy of intranasal mupirocin ointment. A prospective cohort study of <i>Staphylococcus aureus</i> carriage.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/8018006">https://www.ncbi.nlm.nih.gov/pubmed/8018006</a> |
| MUPIROCIN         | Lack of correlation between nasal cultures positive for <i>Staphylococcus aureus</i> and the development of <i>S. aureus</i> exit-site infections: results unaffected by routine mupirocin treatment of nasal <i>S. aureus</i> carriage. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/7999817">https://www.ncbi.nlm.nih.gov/pubmed/7999817</a> |
| MUPIROCIN         | The efficacy of intranasal mupirocin in the prevention of staphylococcal infections: a review of recent experience. [Review] [70 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/7930545">https://www.ncbi.nlm.nih.gov/pubmed/7930545</a> |
| MUPIROCIN         | Comparison of mupirocin susceptibility of nasal and nonnasal <i>Staphylococcus aureus</i> isolates.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/7874886">https://www.ncbi.nlm.nih.gov/pubmed/7874886</a> |
| MUPIROCIN         | Intranasal mupirocin.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/7852737">https://www.ncbi.nlm.nih.gov/pubmed/7852737</a> |
| MUPIROCIN         | <i>Staphylococcus aureus</i> infection in haemodialysis patients. Mupirocin as a topical strategy against nasal carriage: a review. [Review] [38 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/7799051">https://www.ncbi.nlm.nih.gov/pubmed/7799051</a> |
| MUPIROCIN         | Cost-effectiveness of erythromycin versus mupirocin for the treatment of impetigo in children.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1734386">https://www.ncbi.nlm.nih.gov/pubmed/1734386</a> |
| MUPIROCIN         | Stability of mupirocin ointment (Bactroban) admixed with other proprietary dermatological products.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1639880">https://www.ncbi.nlm.nih.gov/pubmed/1639880</a> |
| MUPIROCIN         | Double-blind study comparing erythromycin and mupirocin for treatment of impetigo in children: implications of a high prevalence of erythromycin-resistant <i>Staphylococcus aureus</i> strains.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1605593">https://www.ncbi.nlm.nih.gov/pubmed/1605593</a> |
| MUPIROCIN         | Prevention of post-excisional wound infections: a comparison of oral cephalexin with topical mupirocin and topical cetrimide-chlorhexidine cream.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1587669">https://www.ncbi.nlm.nih.gov/pubmed/1587669</a> |
| MUPIROCIN         | Comparison of the in-vitro activities of the topical antimicrobials azelaic acid, nitrofurazone, silver sulphadiazine and mupirocin against methicillin-resistant <i>Staphylococcus aureus</i> .   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1506349">https://www.ncbi.nlm.nih.gov/pubmed/1506349</a> |
| MUPIROCIN         | Review of mupirocin ointment in the treatment of impetigo. [Review] [40 refs]  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1468173">https://www.ncbi.nlm.nih.gov/pubmed/1468173</a> |
| MUPIROCIN         | Perianal streptococcal cellulitis: treatment with topical mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1446090">https://www.ncbi.nlm.nih.gov/pubmed/1446090</a> |
| MUPIROCIN         | Treatment of <i>Staphylococcus aureus</i> nasal carriers in CAPD with mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1361797">https://www.ncbi.nlm.nih.gov/pubmed/1361797</a> |
| MUPIROCIN         | Minimal dose requirements for nasal mupirocin and its role in the control of epidemic MRSA.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1684191">https://www.ncbi.nlm.nih.gov/pubmed/1684191</a> |
| MUPIROCIN         | Overview of the role of mupirocin. [Review] [26 refs]  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1684188">https://www.ncbi.nlm.nih.gov/pubmed/1684188</a> |

| Medication | Title of Article  | Pubmed link   |
|------------|---|---|
| MUPIROCIN  | Efficacy of mupirocin nasal ointment in eradicating <i>Staphylococcus aureus</i> nasal carriage in chronic haemodialysis patients.          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1674259">https://www.ncbi.nlm.nih.gov/pubmed/1674259</a> |
| MUPIROCIN  | Eradication of colonization by methicillin-resistant <i>Staphylococcus aureus</i> by using oral minocycline-rifampin and topical mupirocin. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1929333">https://www.ncbi.nlm.nih.gov/pubmed/1929333</a> |
| MUPIROCIN  | Topical 2% mupirocin versus 2% sodium fusidate ointment in the treatment of primary and secondary skin infections.                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1907980">https://www.ncbi.nlm.nih.gov/pubmed/1907980</a> |
| MUPIROCIN  | Elimination of coincident <i>Staphylococcus aureus</i> nasal and hand carriage with intranasal application of mupirocin calcium ointment.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1898585">https://www.ncbi.nlm.nih.gov/pubmed/1898585</a> |
| MUPIROCIN  | The efficacy of calcium mupirocin in the eradication of nasal <i>Staphylococcus aureus</i> carriage.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/1810357">https://www.ncbi.nlm.nih.gov/pubmed/1810357</a> |
| MUPIROCIN  | Nasal carriage of MRSA: the role of mupirocin and outlook for resistance. [Review] [56 refs]  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2129029">https://www.ncbi.nlm.nih.gov/pubmed/2129029</a> |
| MUPIROCIN  | Topical Bactroban (mupirocin): efficacy in treating burn wounds infected with methicillin-resistant staphylococci.                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2123203">https://www.ncbi.nlm.nih.gov/pubmed/2123203</a> |
| MUPIROCIN  | Mupirocin-resistant <i>Staphylococcus aureus</i> after long-term treatment of patients with epidermolysis bullosa.                          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2112168">https://www.ncbi.nlm.nih.gov/pubmed/2112168</a> |
| MUPIROCIN  | Mupirocin: a new topical antibiotic.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2112165">https://www.ncbi.nlm.nih.gov/pubmed/2112165</a> |
| MUPIROCIN  | The clinical development of mupirocin. [Review] [17 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2112164">https://www.ncbi.nlm.nih.gov/pubmed/2112164</a> |
| MUPIROCIN  | Nasal carriage of <i>Staphylococcus aureus</i> treated with topical mupirocin (pseudomonic acid) in a children's hospital.                  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2567303">https://www.ncbi.nlm.nih.gov/pubmed/2567303</a> |
| MUPIROCIN  | Efficacy and safety of 2% mupirocin ointment in the treatment of primary and secondary skin infections--an open multicentre trial.          | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2516463">https://www.ncbi.nlm.nih.gov/pubmed/2516463</a> |
| MUPIROCIN  | Comparative double-blinded study between mupirocin and tetracycline ointments for treating skin infections.                                 | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2510312">https://www.ncbi.nlm.nih.gov/pubmed/2510312</a> |
| MUPIROCIN  | Efficacy of mupirocin in methicillin-resistant <i>Staphylococcus aureus</i> burn wound infection.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2508545">https://www.ncbi.nlm.nih.gov/pubmed/2508545</a> |
| MUPIROCIN  | Topical mupirocin treatment of impetigo is equal to oral erythromycin therapy.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2502950">https://www.ncbi.nlm.nih.gov/pubmed/2502950</a> |
| MUPIROCIN  | Mupirocin: a new topical therapy for impetigo.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2502615">https://www.ncbi.nlm.nih.gov/pubmed/2502615</a> |
| MUPIROCIN  | Topical 2% mupirocin versus 2% fusidic acid ointment in the treatment of primary and secondary skin infections.                             | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2502567">https://www.ncbi.nlm.nih.gov/pubmed/2502567</a> |
| MUPIROCIN  | Impetigo contagiosa III. Comparative efficacy of oral erythromycin and topical mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2501775">https://www.ncbi.nlm.nih.gov/pubmed/2501775</a> |
| MUPIROCIN  | Topical antibiotics in the treatment of superficial skin infections in general practice--a comparison of mupirocin with sodium fusidate.    | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2501394">https://www.ncbi.nlm.nih.gov/pubmed/2501394</a> |
| MUPIROCIN  | Mupirocin (2 percent) ointment in the treatment of primary and secondary skin infections.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2501071">https://www.ncbi.nlm.nih.gov/pubmed/2501071</a> |

| Medication | Title of Article  | Pubmed link   |
|------------|---|---|
| MUPIROCIN  | Randomized clinical trial of topical mupirocin versus oral erythromycin for impetigo.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3149884">https://www.ncbi.nlm.nih.gov/pubmed/3149884</a> |
| MUPIROCIN  | Topical mupirocin vs. systemic erythromycin treatment for pyoderma.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3148127">https://www.ncbi.nlm.nih.gov/pubmed/3148127</a> |
| MUPIROCIN  | Elimination of nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> with mupirocin during a hospital outbreak.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3141347">https://www.ncbi.nlm.nih.gov/pubmed/3141347</a> |
| MUPIROCIN  | Staphylococcal colonization in atopic dermatitis and the effect of topical mupirocin therapy.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3139019">https://www.ncbi.nlm.nih.gov/pubmed/3139019</a> |
| MUPIROCIN  | Eradication of low-level methicillin-resistant <i>Staphylococcus aureus</i> skin colonization with topical mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3136203">https://www.ncbi.nlm.nih.gov/pubmed/3136203</a> |
| MUPIROCIN  | Mupirocin--a new topical antibiotic.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3129636">https://www.ncbi.nlm.nih.gov/pubmed/3129636</a> |
| MUPIROCIN  | An evaluation of topical mupirocin in moderately severe primary and secondary skin infections.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3127257">https://www.ncbi.nlm.nih.gov/pubmed/3127257</a> |
| MUPIROCIN  | Topical mupirocin versus topical neosporin in the treatment of cutaneous infections.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2851560">https://www.ncbi.nlm.nih.gov/pubmed/2851560</a> |
| MUPIROCIN  | Mupirocin: a topical antibiotic with a unique structure and mechanism of action. [Review] [46 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3146455">https://www.ncbi.nlm.nih.gov/pubmed/3146455</a> |
| MUPIROCIN  | Topical mupirocin versus oral erythromycin in the treatment of primary and secondary skin infections.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3115904">https://www.ncbi.nlm.nih.gov/pubmed/3115904</a> |
| MUPIROCIN  | Comment: topical mupirocin.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3107962">https://www.ncbi.nlm.nih.gov/pubmed/3107962</a> |
| MUPIROCIN  | Mupirocin ('pseudomonic acid')--a promising new topical antimicrobial agent. [Review] [45 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3104272">https://www.ncbi.nlm.nih.gov/pubmed/3104272</a> |
| MUPIROCIN  | An outbreak of infection with a methicillin-resistant <i>Staphylococcus aureus</i> in a special care baby unit: value of topical mupirocin and of traditional methods of infection control. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/2889764">https://www.ncbi.nlm.nih.gov/pubmed/2889764</a> |
| MUPIROCIN  | Topical mupirocin in the treatment of bacterial skin infections. [Review] [23 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3102197">https://www.ncbi.nlm.nih.gov/pubmed/3102197</a> |
| MUPIROCIN  | A comparison of the new topical antibiotic mupirocin ('Bactroban') with oral antibiotics in the treatment of skin infections in general practice.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3102167">https://www.ncbi.nlm.nih.gov/pubmed/3102167</a> |
| MUPIROCIN  | Mupirocin. A review of its antibacterial activity, pharmacokinetic properties and therapeutic use. [Review] [86 refs]   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3098541">https://www.ncbi.nlm.nih.gov/pubmed/3098541</a> |
| MUPIROCIN  | Topical antibiotic treatment of impetigo with mupirocin.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3096221">https://www.ncbi.nlm.nih.gov/pubmed/3096221</a> |
| MUPIROCIN  | Clinical and bacteriological efficacy of mupirocin (Bactroban): a new topical antibiotic.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3090486">https://www.ncbi.nlm.nih.gov/pubmed/3090486</a> |
| MUPIROCIN  | Elimination of nasal carriage of <i>Staphylococcus aureus</i> with mupirocin ('pseudomonic acid')--a controlled trial.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3084442">https://www.ncbi.nlm.nih.gov/pubmed/3084442</a> |

| <b>Medication</b> | <b>Title of Article</b>  | <b>Pubmed link</b>  |
|-------------------|--|---|
| MUPIROCIN         | In-vitro activity of mupirocin ('pseudomonic acid') against clinical isolates of <i>Staphylococcus aureus</i> .  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3924877">https://www.ncbi.nlm.nih.gov/pubmed/3924877</a>   |
| MUPIROCIN         | Antibacterial activity of mupirocin (pseudomonic acid), a new antibiotic for topical use.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/3923922">https://www.ncbi.nlm.nih.gov/pubmed/3923922</a>   |
| MUPIROCIN         | The effect of intraoperative mupirocin irrigation on <i>Staphylococcus aureus</i> within the maxillary sinus.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23192968">http://www.ncbi.nlm.nih.gov/pubmed/23192968</a>   |
| MUPIROCIN         | A randomized trial of mupirocin sinonasal rinses versus saline in surgically recalcitrant staphylococcal chronic rhinosinusitis.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22865576">http://www.ncbi.nlm.nih.gov/pubmed/22865576</a>   |
| MUPIROCIN         | Microbiological outcomes following mupirocin nasal washes for symptomatic, <i>Staphylococcus aureus</i> -positive chronic rhinosinusitis following endoscopic sinus surgery. | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22170745">http://www.ncbi.nlm.nih.gov/pubmed/22170745</a>   |
| MUPIROCIN         | Nasal lavage with mupirocin for the treatment of surgically recalcitrant chronic rhinosinusitis.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/18545212">http://www.ncbi.nlm.nih.gov/pubmed/18545212</a>   |
| MUPIROCIN         | In vitro activity of mupirocin on clinical isolates of <i>Staphylococcus aureus</i> and its potential implications in chronic rhinosinusitis.                                | <a href="http://www.ncbi.nlm.nih.gov/pubmed/18090864">http://www.ncbi.nlm.nih.gov/pubmed/18090864</a>   |
| MUPIROCIN         | Treatment of chronic rhinosinusitis exacerbations due to methicillin-resistant <i>Staphylococcus aureus</i> with mupirocin irrigations.                                      | <a href="http://www.ncbi.nlm.nih.gov/pubmed/16647979">http://www.ncbi.nlm.nih.gov/pubmed/16647979</a>   |
| MUPIROCIN         | A randomized clinical trial of mupirocin in the eradication of <i>Staphylococcus aureus</i> nasal carriage in human immunodeficiency virus disease.                          | <a href="http://www.ncbi.nlm.nih.gov/pubmed/10438389">http://www.ncbi.nlm.nih.gov/pubmed/10438389</a>   |
| MUPIROCIN         | In vitro Antimicrobial Activity of SinuSurf™.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22814356">http://www.ncbi.nlm.nih.gov/pubmed/22814356</a>   |
| MUPIROCIN         | Dose-ranging study to assess the application of intranasal 2% mupirocin calcium ointment to eradicate <i>Staphylococcus aureus</i> nasal colonization.                       | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23448592">http://www.ncbi.nlm.nih.gov/pubmed/23448592</a>   |
| MUPIROCIN         | The effect of maxillary sinus irrigation on early prognostic factors after endoscopic sinus surgery: A preliminary study   | <a href="http://houstonx.library.ingentaconnect.com/content/ocean/ajra/2013/00000027/00000005/art00007">http://houstonx.library.ingentaconnect.com/content/ocean/ajra/2013/00000027/00000005/art00007</a> |
| MUPIROCIN         | Evidence-based recommendations for antimicrobial nasal washes in chronic rhinosinusitis.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/?term=1653928">http://www.ncbi.nlm.nih.gov/pubmed/?term=1653928</a><br>6  |
| MUPIROCIN         | Reduction in gram-positive pneumonia and antibiotic consumption following the use of a SDD protocol including nasal and oral mupirocin.                                      | <a href="http://www.ncbi.nlm.nih.gov/pubmed/11587466">http://www.ncbi.nlm.nih.gov/pubmed/11587466</a>   |
| MUPIROCIN         | Topical mupirocin/sodium hypochlorite reduces peritonitis and exit-site infection rates in children.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/19820132">http://www.ncbi.nlm.nih.gov/pubmed/19820132</a>   |
| MUPIROCIN         | The preventive effects of mupirocin against nasotracheal intubation-related bacterial carriage.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/12818970">http://www.ncbi.nlm.nih.gov/pubmed/12818970</a>   |

| Medication | Title of Article   | Pubmed link   |
|------------|--|---|
| MUPIROCIN  | Treatment of chronic rhinosinusitis exacerbations due to methicillin-resistant <i>Staphylococcus aureus</i> with mupirocin irrigations.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/16647979">http://www.ncbi.nlm.nih.gov/pubmed/16647979</a>   |
| MUPIROCIN  | Efficacy of nasal <i>Staphylococcus aureus</i> eradication by topical nasal mupirocin in patients with perennial allergic rhinitis.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/18592827">http://www.ncbi.nlm.nih.gov/pubmed/18592827</a>   |
| MUPIROCIN  | Oral antibiotics versus topical decolonization to prevent surgical site infection after Mohs micrographic surgery--a randomized, controlled trial.                                       | <a href="http://www.ncbi.nlm.nih.gov/pubmed/24090258">http://www.ncbi.nlm.nih.gov/pubmed/24090258</a>   |
| MUPIROCIN  | Nasal lavage with mupirocin for the treatment of surgically recalcitrant chronic rhinosinusitis.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed?term=1854521_2">http://www.ncbi.nlm.nih.gov/pubmed?term=1854521_2</a>   |
| MUPIROCIN  | Microbiological outcomes following mupirocin nasal washes for symptomatic, <i>Staphylococcus aureus</i> -positive chronic rhinosinusitis following endoscopic sinus surgery.             | <a href="http://www.ncbi.nlm.nih.gov/pubmed?term=2217074_5">http://www.ncbi.nlm.nih.gov/pubmed?term=2217074_5</a>   |
| MUPIROCIN  | Mupirocin application at the exit site in peritoneal dialysis patients: five years of experience.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/20370452">http://www.ncbi.nlm.nih.gov/pubmed/20370452</a>   |
| MUPIROCIN  | In vitro activity of mupirocin on clinical isolates of <i>Staphylococcus aureus</i> and its potential implications in chronic rhinosinusitis.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/18090864?ordinalpos=1&amp;itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum">http://www.ncbi.nlm.nih.gov/pubmed/18090864?ordinalpos=1&amp;itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum</a> |
| MUPIROCIN  | Alteration in Bacterial Culture After Treatment With Topical Mupirocin for Recalcitrant Chronic Rhinosinusitis   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/26720201">http://www.ncbi.nlm.nih.gov/pubmed/26720201</a>   |
| MUPIROCIN  | Pitted keratolysis: successful management with mupirocin 2% ointment monotherapy   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/26437161">http://www.ncbi.nlm.nih.gov/pubmed/26437161</a>   |
| MUPIROCIN  | Total Occlusive Ionic Silver-Containing Dressing vs Mupirocin Ointment Application vs Conventional Dressing in Elective Colorectal Surgery: Effect on Incisional Surgical Site Infection | <a href="http://www.ncbi.nlm.nih.gov/pubmed/26206641">http://www.ncbi.nlm.nih.gov/pubmed/26206641</a>   |
| MUPIROCIN  | Anti-biofilm properties of a mupirocin spray formulation against <i>Escherichia coli</i> wound infections.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28686044">https://www.ncbi.nlm.nih.gov/pubmed/28686044</a>   |
| MUPIROCIN  | Development of a topical mupirocin spray for antibacterial and wound-healing applications.   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/28581830">https://www.ncbi.nlm.nih.gov/pubmed/28581830</a>   |
| MUPIROCIN  | Mupirocin in the Treatment of Staphylococcal Infections in Chronic Rhinosinusitis: A Meta-Analysis.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27907108">https://www.ncbi.nlm.nih.gov/pubmed/27907108</a>   |
| MUPIROCIN  | <i>Staphylococcus aureus</i> resistance to topical antimicrobials in atopic dermatitis.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27828633">https://www.ncbi.nlm.nih.gov/pubmed/27828633</a>   |
| MUPIROCIN  | Mupirocin reduces ciliary beat frequency of human nasal epithelial cells.  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27342406">https://www.ncbi.nlm.nih.gov/pubmed/27342406</a>   |

| Medication | Title of Article  | Pubmed link   |
|------------|---|---|
| MUPIROCIN  | Alteration in Bacterial Culture After Treatment With Topical Mupirocin for Recalcitrant Chronic Rhinosinusitis. | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26720201">https://www.ncbi.nlm.nih.gov/pubmed/26720201</a> |