

# Literature Review

## Topical Pain Management

| Medication | Title of Article   | PubMed Link   |
|------------|--|---|
| DICLOFENAC | Comparison of analgesic effect of preoperative topical diclofenac and ketorolac on postoperative pain after photorefractive keratectomy.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/24968759">http://www.ncbi.nlm.nih.gov/pubmed/24968759</a>           |
| DICLOFENAC | A randomized, double-blind, placebo-controlled multicentre study to evaluate the efficacy and safety of diclofenac 4% spray gel in the treatment of acute uncomplicated ankle sprain.                                  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23908551">http://www.ncbi.nlm.nih.gov/pubmed/23908551</a>           |
| DICLOFENAC | Randomized controlled trial of diclofenac sodium gel in knee osteoarthritis.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/19932833">http://www.ncbi.nlm.nih.gov/pubmed/19932833</a>           |
| DICLOFENAC | Comparative study of actinic keratosis treatment with 3% diclofenac sodium and 5% 5-fluorouracil.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/24173178">http://www.ncbi.nlm.nih.gov/pubmed/24173178</a>           |
| DICLOFENAC | Comparison of topical 3% diclofenac sodium gel and 5% imiquimod cream for the treatment of actinic keratoses.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/21418281">http://www.ncbi.nlm.nih.gov/pubmed/21418281</a>           |
| DICLOFENAC | Long-term tolerability of topical diclofenac sodium 1% gel for osteoarthritis in seniors and patients with comorbidities.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23204844">http://www.ncbi.nlm.nih.gov/pubmed/23204844</a>           |
| DICLOFENAC | Efficacy and safety of diclofenac diethylamine 2.32% gel in acute ankle sprain.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22525762">http://www.ncbi.nlm.nih.gov/pubmed/22525762</a>           |
| DICLOFENAC | Efficacy and safety of a topical diclofenac solution (pennsaid) in the treatment of primary osteoarthritis of the knee: a randomized, double-blind, vehicle-controlled clinical trial.                                 | <a href="http://www.ncbi.nlm.nih.gov/pubmed/15477437">http://www.ncbi.nlm.nih.gov/pubmed/15477437</a>           |
| DICLOFENAC | Efficacy and safety of topical diclofenac containing dimethyl sulfoxide (DMSO) compared with those of topical placebo, DMSO vehicle and oral diclofenac for knee osteoarthritis.                                       | <a href="http://www.ncbi.nlm.nih.gov/pubmed/19380203">http://www.ncbi.nlm.nih.gov/pubmed/19380203</a>           |
| DICLOFENAC | Topical diclofenac solution  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/19943711">http://www.ncbi.nlm.nih.gov/pubmed/19943711</a>           |
| DICLOFENAC | An open-label, long-term safety and tolerability trial of diclofenac sodium 1% gel in patients with knee osteoarthritis.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed?term=22030938">http://www.ncbi.nlm.nih.gov/pubmed?term=22030938</a> |
| DICLOFENAC | Diclofenac sodium topical solution 1.5% w/w with dimethyl sulfoxide compared with placebo for the treatment of osteoarthritis: pooled safety results.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed?term=22104466">http://www.ncbi.nlm.nih.gov/pubmed?term=22104466</a> |
| DICLOFENAC | Safety profile of topical diclofenac: a meta-analysis of blinded, randomized, controlled trials in musculoskeletal conditions.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed?term=21231861">http://www.ncbi.nlm.nih.gov/pubmed?term=21231861</a> |
| DICLOFENAC | Safety and efficacy of topical diclofenac sodium gel for knee osteoarthritis in elderly and younger patients: pooled data from three randomized, double-blind, parallel-group, placebo-controlled, multicentre trials. | <a href="http://www.ncbi.nlm.nih.gov/pubmed?term=21174485">http://www.ncbi.nlm.nih.gov/pubmed?term=21174485</a> |

| Medication          | Title of Article   | PubMed Link   |
|---------------------|--|---|
| DICLOFENAC          | Efficacy and safety of diclofenac diethylamine 1.16% gel in acute neck pain: a randomized, double-blind, placebo-controlled study.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23964752">http://www.ncbi.nlm.nih.gov/pubmed/23964752</a>                                 |
| DICLOFENAC          | Traumeel vs. diclofenac for reducing pain and improving ankle mobility after acute ankle sprain: a multicentre, randomised, blinded, controlled and non-inferiority trial            | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23889885">http://www.ncbi.nlm.nih.gov/pubmed/23889885</a>                                 |
| DICLOFENAC          | A randomized, double-blind, placebo-controlled multicentre study to evaluate the efficacy and safety of diclofenac 4% spray gel in the treatment of acute uncomplicated ankle sprain | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23908551">http://www.ncbi.nlm.nih.gov/pubmed/23908551</a>                                 |
| DICLOFENAC          | Effect of 1.5% Topical Diclofenac on Clinical Neuropathic Pain   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25955980">http://www.ncbi.nlm.nih.gov/pubmed/25955980</a>                                 |
| DICLOFENAC          | Topical NSAIDs for chronic musculoskeletal pain in adults  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22972108">http://www.ncbi.nlm.nih.gov/pubmed/22972108</a>                                 |
| DICLOFENAC          | Topical NSAIDs for acute musculoskeletal pain in adults  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/26068955">http://www.ncbi.nlm.nih.gov/pubmed/26068955</a>                                 |
| DICLOFENAC          | Can diclofenac ester prodrug promote direct penetration across the skin  | <a href="http://jocpr.com/vol6-iss7-2014/JCPR-2014-6-7-2701-2713.pdf">http://jocpr.com/vol6-iss7-2014/JCPR-2014-6-7-2701-2713.pdf</a> |
| DICLOFENAC          | Topical NSAIDs effect on corneal sensitivity   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25826326">http://www.ncbi.nlm.nih.gov/pubmed/25826326</a>                                 |
| DICLOFENAC          | Efficacy and safety of diclofenac sodium 2% topical solution for osteoarthritis of the knee: a randomized, double-blind, vehicle-controlled, 4 week study                            | <a href="http://www.ncbi.nlm.nih.gov/pubmed/26506138">http://www.ncbi.nlm.nih.gov/pubmed/26506138</a>                                 |
| DICLOFENAC SODIUM   | GENERIC NAME: DICLOFENAC 3% - TOPICAL -<br><a href="https://www.us.sandoz.com/mediacentre/news/news_112113.shtml">https://www.us.sandoz.com/mediacentre/news/news_112113.shtml</a>   | <a href="http://www.medicinenet.com/diclofenac-topical/article.htm">http://www.medicinenet.com/diclofenac-topical/article.htm</a>     |
| DICLOFENAC 1.5% W/W | The reciprocal effects of pain intensity and activity limitations: implications for outcomes assessment in clinical trials   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/23446086">https://www.ncbi.nlm.nih.gov/pubmed/23446086</a>                               |
| DICLOFENAC 1.5% W/W | Pooled safety analysis of diclofenac sodium topical solution 1.5% (w/w) in the treatment of osteoarthritis in patients aged 75 years or older  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/22791985">https://www.ncbi.nlm.nih.gov/pubmed/22791985</a>                               |
| DICLOFENAC 2.0% W/W | Efficacy and safety of diclofenac sodium 2% topical solution for osteoarthritis of the knee: a randomized, double-blind, vehicle-controlled, 4 week study.                           | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26506138">https://www.ncbi.nlm.nih.gov/pubmed/26506138</a>                               |
| DICLOFENAC 2.0% W/W | Bioequivalence of diclofenac sodium 2% and 1.5% topical solutions relative to oral diclofenac sodium in healthy volunteers   | <a href="https://www.ncbi.nlm.nih.gov/pubmed/26077436">https://www.ncbi.nlm.nih.gov/pubmed/26077436</a>                               |
| DICLOFENAC 2.0% W/W | Topical Diclofenac 2% (Pennsaid) for Knee OA Pain Clears FDA   | <a href="http://www.medscape.com/viewarticle/819436">http://www.medscape.com/viewarticle/819436</a>                                   |
| DICLOFENAC 2.0% W/W | PENNSAID (diclofenac sodium) Topical Solution  | <a href="http://www.rxlist.com/pennsaid-drug.htm">http://www.rxlist.com/pennsaid-drug.htm</a>   |

| Medication          | Title of Article  | PubMed Link   |
|---------------------|---|---|
| DICLOFENAC 2.0% W/W | PENNSAID® (diclofenac sodium topical solution) 2% w/w   | <a href="http://www.horizonpharma.com/pennsaid/">http://www.horizonpharma.com/pennsaid/</a>   |
| DICLOFENAC 2.0% W/W | Horizon Pharma plc Announces Settlement of PENNSAID(R) (diclofenac sodium topical solution) 2% w/w Patent Litigation With Amneal Pharmaceuticals LLC                                  | <a href="http://ir.horizon-pharma.com/releasedetail.cfm?releaseid=966551">http://ir.horizon-pharma.com/releasedetail.cfm?releaseid=966551</a> |
| DICLOFENAC GEL      | Topical diclofenac versus placebo: a double blind, randomized clinical trial in patients with osteoarthritis of the knee  | <a href="https://www.ncbi.nlm.nih.gov/pubmed/10606379">https://www.ncbi.nlm.nih.gov/pubmed/10606379</a>                                       |
| DICLOFENAC GEL      | The effect of topical diclofenac 3% and calcitriol 3 µg/g on superficial basal cell carcinoma (sBCC) and nodular basal cell carcinoma (nBCC): A phase II, randomized controlled trial | <a href="https://www.ncbi.nlm.nih.gov/pubmed/27067393">https://www.ncbi.nlm.nih.gov/pubmed/27067393</a>                                       |
| GABAPENTIN          | Topical gabapentin in the treatment of localized and generalized vulvodynia.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/18757655">http://www.ncbi.nlm.nih.gov/pubmed/18757655</a>   |
| GABAPENTIN          | Skin permeation and antinociception of topical gabapentin formulations.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25906628">http://www.ncbi.nlm.nih.gov/pubmed/25906628</a>   |
| GABAPENTIN          | Analgesic Efficacy and Transdermal Penetration of Topical Gabapentin Creams: Finding an Optimal Dose and Pre-treatment Time   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/26685497">http://www.ncbi.nlm.nih.gov/pubmed/26685497</a>   |
| LIDOCAINE           | [Comparison between topical anaesthesia with cocaine versus lidocaine plus adrenaline for outpatient laser dacryocystorhinostomy].  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/24332687">http://www.ncbi.nlm.nih.gov/pubmed/24332687</a>   |
| LIDOCAINE           | Treatment for postoperative wound pain in gynecologic laparoscopic surgery: topical lidocaine patches.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22861076">http://www.ncbi.nlm.nih.gov/pubmed/22861076</a>   |
| LIDOCAINE           | Lidocaine analgesia for removal of wound vacuum-assisted closure dressings: a randomized double-blinded placebo-controlled trial.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23343829">http://www.ncbi.nlm.nih.gov/pubmed/23343829</a>   |
| LIDOCAINE           | The effect of buffered lidocaine in local anesthesia: a prospective, randomized, double-blind study.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23566722">http://www.ncbi.nlm.nih.gov/pubmed/23566722</a>   |
| LIDOCAINE           | A prospective, randomized, double-blind study comparing the efficacy of topical anesthetics in nasal endoscopy.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23404424">http://www.ncbi.nlm.nih.gov/pubmed/23404424</a>   |
| LIDOCAINE           | Phase III, randomized, double-blind, placebo-controlled trial of topical 2 % lidocaine for the prevention and treatment of oral mucosal pain in children.                             | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23892504">http://www.ncbi.nlm.nih.gov/pubmed/23892504</a>   |
| LIDOCAINE           | Evaluation of three topical anaesthetic agents against pain: a clinical study.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/17217210">http://www.ncbi.nlm.nih.gov/pubmed/17217210</a>   |

| Medication | Title of Article   | PubMed Link   |
|------------|--|---|
| LIDOCAINE  | 5% lidocaine-medicated plaster vs other relevant interventions and placebo for post-herpetic neuralgia (PHN): a systematic review.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/21039364">http://www.ncbi.nlm.nih.gov/pubmed/21039364</a> |
| LIDOCAINE  | A comparison of the lidocaine patch 5% vs naproxen 500 mg twice daily for the relief of pain associated with carpal tunnel syndrome: a 6-week, randomized, parallel-group study.               | <a href="http://www.ncbi.nlm.nih.gov/pubmed/17406167">http://www.ncbi.nlm.nih.gov/pubmed/17406167</a> |
| LIDOCAINE  | Lidocaine adrenaline tetracaine gel versus tetracaine adrenaline cocaine gel for topical anesthesia in linear scalp and facial lacerations in children aged 5 to 17 years.                     | <a href="http://www.ncbi.nlm.nih.gov/pubmed/7838644">http://www.ncbi.nlm.nih.gov/pubmed/7838644</a>   |
| LIDOCAINE  | Lidocaine eye drops attenuate pain associated with ophthalmic postherpetic neuralgia.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/20237042">http://www.ncbi.nlm.nih.gov/pubmed/20237042</a> |
| LIDOCAINE  | Lidocaine patches reduce pain in trauma patients with rib fractures.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/21679552">http://www.ncbi.nlm.nih.gov/pubmed/21679552</a> |
| LIDOCAINE  | Lidocaine-prilocaine cream versus tetracaine gel for procedural pain in children.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/11918521">http://www.ncbi.nlm.nih.gov/pubmed/11918521</a> |
| LIDOCAINE  | Randomized, double-blind, placebo-controlled trial using lidocaine patch 5% in traumatic rib fractures.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/20113941">http://www.ncbi.nlm.nih.gov/pubmed/20113941</a> |
| LIDOCAINE  | The analgesic effect of a metered-dose 8% lidocaine pump spray in posttraumatic peripheral neuropathy: a pilot study.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/19224814">http://www.ncbi.nlm.nih.gov/pubmed/19224814</a> |
| LIDOCAINE  | Topical lidocaine for the treatment of postherpetic neuralgia.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/17443559">http://www.ncbi.nlm.nih.gov/pubmed/17443559</a> |
| LIDOCAINE  | Novel topical formulation of lidocaine provides significant pain relief for intrauterine device insertion: pharmacokinetic evaluation and randomized placebo-controlled trial.                 | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25455873">http://www.ncbi.nlm.nih.gov/pubmed/25455873</a> |
| LIDOCAINE  | Pupil dilation with intra-cameral lidocaine versus topical midriatics during phacoemulsification.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25363172">http://www.ncbi.nlm.nih.gov/pubmed/25363172</a> |
| LIDOCAINE  | Pain management prior to nasogastric tube placement: atomized lidocaine.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25842396">http://www.ncbi.nlm.nih.gov/pubmed/25842396</a> |
| LIDOCAINE  | Topical lidocaine gel with and without subconjunctival lidocaine injection for intravitreal injection: a within-patient study.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25037012">http://www.ncbi.nlm.nih.gov/pubmed/25037012</a> |
| LIDOCAINE  | Novel approach for pain control in patients undergoing prostate biopsy: iliohypogastric nerve block with or without topical application of prilocaine-lidocaine: a randomized controlled trial | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25703911">http://www.ncbi.nlm.nih.gov/pubmed/25703911</a> |
| LIDOCAINE  | Is Nebulized Lidocaine Adequate Topical Anesthesia for Diagnostic Transnasal Tracheoscopy?   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25653254">http://www.ncbi.nlm.nih.gov/pubmed/25653254</a> |

| Medication | Title of Article  | PubMed Link   |
|------------|---|---|
| LIDOCAINE  | Novel topical formulation of lidocaine provides significant pain relief for intrauterine device insertion: pharmacokinetic evaluation and randomized placebo-controlled trial                         | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25455873">http://www.ncbi.nlm.nih.gov/pubmed/25455873</a> |
| LIDOCAINE  | A Randomized Trial of 1% vs 2% Lignocaine by the Spray-as-You-Go Technique for Topical Anesthesia During Flexible Bronchoscopy  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/25811287">http://www.ncbi.nlm.nih.gov/pubmed/25811287</a> |
| LIDOCAINE  | EMLA versus TAC for topical anesthesia of extremity wounds in children.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/9250639">http://www.ncbi.nlm.nih.gov/pubmed/9250639</a>   |
| LIDOCAINE  | Management of pain associated with debridement of leg ulcers: a randomized, multicentre, pilot study comparing nitrous oxide-oxygen mixture inhalation and lidocaine-prilocaine cream.                | <a href="http://www.ncbi.nlm.nih.gov/pubmed/20569291">http://www.ncbi.nlm.nih.gov/pubmed/20569291</a> |
| LIDOCAINE  | Reduction in pain associated with open carpal tunnel decompression.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/11062570">http://www.ncbi.nlm.nih.gov/pubmed/11062570</a> |
| LIDOCAINE  | Efficacy of combination of 0.2% GTN and lignocaine ointments in wound healing and pain relief after Milligan Morgan hemorrhoidectomy--a comparison with lignocaine and 0.2% GTN ointments separately. | <a href="http://www.ncbi.nlm.nih.gov/pubmed/24486687">http://www.ncbi.nlm.nih.gov/pubmed/24486687</a> |
| LIDOCAINE  | Randomized trial of lidocaine ointment versus placebo for the treatment of postpartum perineal pain.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/12468168">http://www.ncbi.nlm.nih.gov/pubmed/12468168</a> |
| LIDOCAINE  | LET versus EMLA for pretreating lacerations: a randomized trial.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/11229943">http://www.ncbi.nlm.nih.gov/pubmed/11229943</a> |
| LIDOCAINE  | EMLA cream as a topical anesthetic for the repeated mechanical debridement of venous leg ulcers: a double-blind, placebo-controlled study.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/10025747">http://www.ncbi.nlm.nih.gov/pubmed/10025747</a> |
| LIDOCAINE  | Repeated treatment with lidocaine/prilocaine cream (EMLA) as a topical anaesthetic for the cleansing of venous leg ulcers. A controlled study.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/8105630">http://www.ncbi.nlm.nih.gov/pubmed/8105630</a>   |
| LIDOCAINE  | Digital image analysis of erythema development after experimental thermal injury to human skin: effect of postburn topical local anesthetics (EMLA).  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/10320183">http://www.ncbi.nlm.nih.gov/pubmed/10320183</a> |
| LIDOCAINE  | Topical anesthetic EMLA for postoperative wound pain in stereotactic gamma knife radiosurgery: a perspective, randomized, placebo-controlled study.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/21647846">http://www.ncbi.nlm.nih.gov/pubmed/21647846</a> |

| Medication | Title of Article   | PubMed Link   |
|------------|--|---|
| LIDOCAINE  | Efficacy of topical 1% lidocaine in the symptomatic treatment of pain associated with oral mucosal trauma or minor oral aphthous ulcer: a randomized, double-blind, placebo-controlled, parallel-group, single-dose study. | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22247928">http://www.ncbi.nlm.nih.gov/pubmed/22247928</a> |
| LIDOCAINE  | Using a topical anaesthetic cream to reduce pain during sharp debridement of chronic leg ulcers.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/12964231">http://www.ncbi.nlm.nih.gov/pubmed/12964231</a> |
| LIDOCAINE  | Plasma concentrations and analgesic effect of EMLA (lidocaine/prilocaine) cream for the cleansing of leg ulcers.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/1972836">http://www.ncbi.nlm.nih.gov/pubmed/1972836</a>   |
| LIDOCAINE  | The safety and efficacy of KAI-1678- an inhibitor of epsilon protein kinase C ( $\epsilon$ PKC)-versus lidocaine and placebo for the treatment of postherpetic neuralgia: a crossover study design.                        | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23438341">http://www.ncbi.nlm.nih.gov/pubmed/23438341</a> |
| LIDOCAINE  | Safety and efficacy outcomes of long-term treatment up to 4 years with 5% lidocaine medicated plaster in patients with post-herpetic neuralgia.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22769236">http://www.ncbi.nlm.nih.gov/pubmed/22769236</a> |
| LIDOCAINE  | Postherpetic neuralgia: topical lidocaine is effective in nociceptor-deprived skin.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/15778907">http://www.ncbi.nlm.nih.gov/pubmed/15778907</a> |
| LIDOCAINE  | Systemic absorption of topical lidocaine in normal volunteers, patients with post-herpetic neuralgia, and patients with acute herpes zoster.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/11977110">http://www.ncbi.nlm.nih.gov/pubmed/11977110</a> |
| LIDOCAINE  | Topical acetylsalicylic acid versus lidocaine for postherpetic neuralgia: results of a double-blind comparative clinical trial.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/10591045">http://www.ncbi.nlm.nih.gov/pubmed/10591045</a> |
| LIDOCAINE  | Topical lidocaine gel relieves postherpetic neuralgia.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/7847866">http://www.ncbi.nlm.nih.gov/pubmed/7847866</a>   |
| PRILOCAINE | Comparison of ropivacaine, bupivacaine, prilocaine, and lidocaine in the management of pain and hemorrhage during nasal pack removal.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/24119607">http://www.ncbi.nlm.nih.gov/pubmed/24119607</a> |
| PRILOCAINE | An assessment of prilocaine as a topical anaesthetic agent for fiberoptic bronchoscopy in comparison with lidocaine.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/7941937">http://www.ncbi.nlm.nih.gov/pubmed/7941937</a>   |
| PRILOCAINE | Comparison of topical anesthetic cream (EMLA) and diclofenac suppository for pain relief after hemorrhoidectomy: a randomized clinical trial.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22711185">http://www.ncbi.nlm.nih.gov/pubmed/22711185</a> |
| PRILOCAINE | Randomized controlled trial of topical EMLA and breastfeeding for reducing pain during wDPT vaccination.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23812513">http://www.ncbi.nlm.nih.gov/pubmed/23812513</a> |
| PRILOCAINE | The effect of EMLA cream on minimizing pain during venipuncture in premature infants.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22961215">http://www.ncbi.nlm.nih.gov/pubmed/22961215</a> |

| Medication | Title of Article   | PubMed Link   |
|------------|--|---|
| PRILOCAINE | Lidocaine-prilocaine (EMLA(®) ) cream as analgesia in hysteroscopy practice: a prospective, randomized, non-blinded, controlled study.                           | <a href="http://www.ncbi.nlm.nih.gov/pubmed/23738908">http://www.ncbi.nlm.nih.gov/pubmed/23738908</a> |
| PRILOCAINE | Comparison between lidocaine-prilocaine cream (EMLA) and mepivacaine infiltration for pain relief during perineal repair after childbirth: a randomized trial.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/19560111">http://www.ncbi.nlm.nih.gov/pubmed/19560111</a> |
| PRILOCAINE | The analgesic efficacy of lidocaine/prilocaine (EMLA) cream during fine-needle aspiration biopsy of thyroid nodules.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/17381486">http://www.ncbi.nlm.nih.gov/pubmed/17381486</a> |
| PRILOCAINE | Eutectic mixture of local anesthetic (EMLA) decreases pain during humeral block placement in nonsedated patients.  | <a href="http://www.ncbi.nlm.nih.gov/pubmed/17646514">http://www.ncbi.nlm.nih.gov/pubmed/17646514</a> |
| PRILOCAINE | The role of local anaesthetics in premature ejaculation.   | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22758648">http://www.ncbi.nlm.nih.gov/pubmed/22758648</a> |
| PRILOCAINE | Topical eutectic mixture for premature ejaculation (TEMPE): a novel aerosol-delivery form of lidocaine-prilocaine for treating premature ejaculation.            | <a href="http://www.ncbi.nlm.nih.gov/pubmed/17129234">http://www.ncbi.nlm.nih.gov/pubmed/17129234</a> |
| PRILOCAINE | Lidocaine-prilocaine (EMLA) cream as analgesia for hysterosalpingography: a prospective, randomized, controlled, double blinded study.                           | <a href="http://www.ncbi.nlm.nih.gov/pubmed/17234675">http://www.ncbi.nlm.nih.gov/pubmed/17234675</a> |
| PRILOCAINE | Randomised double blind trial of EMLA for the control of pain related to cryotherapy in the treatment of genital HPV lesions                                     | <a href="http://www.ncbi.nlm.nih.gov/pubmed/9924468">http://www.ncbi.nlm.nih.gov/pubmed/9924468</a>   |
| PRILOCAINE | Pain during venous cannulation: Double-blind, randomized clinical trial of analgesic effect between topical amethocaine and eutectic mixture of local anesthetic | <a href="http://www.ncbi.nlm.nih.gov/pubmed/22557744">http://www.ncbi.nlm.nih.gov/pubmed/22557744</a> |
| PRILOCAINE | Phospholipid microemulsion-based hydrogel for enhanced topical delivery of lidocaine and prilocaine: QbD-based development and evaluation                        | <a href="http://www.ncbi.nlm.nih.gov/pubmed/24892623">http://www.ncbi.nlm.nih.gov/pubmed/24892623</a> |